

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	125	"802.11" and wds	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:37
L2	36	1 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:46
L3	43	(simultaneous\$2 concurrent\$2 ("same" adj time)) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:46
L4	13	3 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:47

EAST Search History

L5	41	(US-20050281237-\$ or US-20030202505-\$ or US-20030156558-\$ or US-20060274792-\$ or US-20060062187-\$ or US-20070036091-\$ or US-20070008922-\$ or US-20060206944-\$ or US-20050254474-\$ or US-20050135305-\$ or US-20040023652-\$ or US-20040077374-\$ or US-20060148516-\$ or US-20030158891-\$ or US-20030140256-\$ or US-20030220988-\$ or US-20040204031-\$ or US-20040166812-\$ or US-20040131188-\$ or US-20040160903-\$ or US-20040203740-\$ or US-20040071122-\$ or US-20030054818-\$ or US-20040179503-\$ or US-20060233184-\$ or US-20040125778-\$).did. or (US-20040125776-\$ or US-20060104235-\$ or US-20050135422-\$ or US-20030087602-\$ or US-20060120336-\$ or US-20030210700-\$ or US-20030167405-\$ or US-20020163895-\$).did. or (US-7062566-\$ or US-7177594-\$ or US-7039033-\$ or US-5757924-\$ or US-7194263-\$ or US-7016334-\$ or US-7251489-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/23 11:20
L7	20	5 and encrypt\$4	US-PGPUB; USPAT	OR	ON	2007/08/23 11:20
S1	4276	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:36
S3	314	370/536.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:14

EAST Search History

S14	5496	370/352.ccls..	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:18
S22	89	370/913.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:24
S23	14	370/913.ccls.and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:24
S26	16050	(transmit\$4 and receiv\$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:01
S27	6496	S26 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:02
S28	1123	S27 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:02
S29	944	S28 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:07
S30	393	S29 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:37
S31	0	"10242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:00
S32	8	"242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:01

EAST Search History

S33	6	"242632".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:01
S34	89	S29 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:38
S35	16050	(transmit\$4 and receiv\$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S36	6496	S35 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S37	1123	S36 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S38	944	S37 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S39	65	S38 and(@ad<="20030311" or @rlad<="20030311") and pda and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:27
S40	51	S38 and(@ad<="20030311" or @rlad<="20030311") and primary and secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:16
S41	78	S38 and(@ad<="20030311" or @rlad<="20030311") and primary and (secondary or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:16
S44	2691	router and wlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 07:45

EAST Search History

S45	1	router and wlan and (basic adj ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 07:46
S46	321	router and wlan and (basic adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:07
S47	27	S46 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:12
S48	68	(modem with emulat\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 08:54
S49	6	S48 and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 08:54
S50	58	("20020071413" "20020090593" "20020090953" "20020128000" "20020142652" "20020181510" "20020191575" "20030008644" "20030032434" "20030109284" "20030142652" "20030174682" "20030235175" "20040004951" "20040053602" "20040203638" "20040204071" "20040220995" "20040224682" "5231634" "6014568" "6026304" "6154172" "6208861" "6463289" "6553233" "6560642" "6804532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:46
S51	405	router and "802.11" and ((first adj basic adj service)or BSSID or SSID) and ((second adj basic adj service) or BSSID or SSID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:11
S52	405	router and "802.11" and ((first adj (basic adj service)or BSSID or SSID)) and ((second adj (basic adj service) or BSSID or SSID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:12

EAST Search History

S53	49	S51 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:38
S54	49	S52 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:17
S55	2	"20020059453".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:18
S58	2	"20020172186".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:21
S59	2	"20020168993".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:42
S60	2	"20050122927 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 13:09
S61	2	"20060120334 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 13:58
S62	2	"20050135304 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 09:40
S63	3	"6618369 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 14:00
S64	14	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:46

EAST Search History

S65	106	wlan adj2 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:37
S66	20	S65 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:38
S67	13	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:50
S68	12	(first adj2 (((internet adj2 protocol) or ip) adj2 address)) and (basic adj service adj set) and "802.11" and (second adj2 (((internet adj2 protocol) or ip) adj2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 07:59
S70	2	"6791962 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 10:02
S71	0	"10621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 10:03
S72	5	"621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:24
S73	123377	nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:43
S74	4077	(internet adj2 connection ad2 sharing) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:44

EAST Search History

S75	2019	(internet adj2 connection ad2 sharing) and "802.11" and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:44
S76	893	S75 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:29
S80	435	(connect\$4 same pda same internet same computer and "802.11") and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:43
S81	0	(connect\$4 same pda same internet same (another or second) adj2 computer and "802.11") and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:43
S82	435	(connect\$4 same pda same internet same computer and "802.11") and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 11:03
S83	34	(connect\$4 same pda same internet same computer and "802.11") and(@ad<="20030311" or @rlad<="20030311") and ad\$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:36
S84	37	(connect\$4 same pda same internet same (computer or laptop) and "802.11") and(@ad<="20030311" or @rlad<="20030311") and ad\$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:07
S85	113	(connect\$4 same pda same (internet or network or sever) same (computer or laptop) and "802.11") and(@ad<="20030311" or @rlad<="20030311") and ad\$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:41
S86	129	((connect\$4 or link43) same pda same (internet or network or sever) same (computer or laptop or device) and "802.11") and(@ad<="20030311" or @rlad<="20030311") and ad\$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:42

EAST Search History

S88	5	"617324".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:30
S90	1229	"802.11" and tag\$4 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33
S91	620	S90 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33
S92	158	"802.11" and (tag\$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33
S93	98	S92 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:50
S94	29	S92 and(@ad<="20030311" or @rlad<="20030311") and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:39
S95	87	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:09
S96	37	S95 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:39
S97	1	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11" and vlan and bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:22
S98	2	receiv\$3 same transmit\$3 same frame same (basic adj service adj set) and "802.11" and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 07:56

EAST Search History

S10 0	159	"802.11" and (tag\$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 07:57
S10 1	99	S100 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 11:25
S10 2	2	"5884031".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 11:25
S10 3	292	370/352.ccls. and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:18
S10 4	121	S103 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:19
S10 6	5058	pda with (laptop notebook) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:40
S10 8	3998	pda with (laptop) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:40
S10 9	420	pda with (laptop) with internet and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:41
S11 0	153	S109 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01
S11 1	42	(connect\$4 with pda with internet with (omputer laptop notebook) and "802.11") and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01

EAST Search History

S11 2	26	translate with first with internet with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01
S11 3	1	S112 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:09
S11 4	19	S112 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:09
S11 5	1	S114 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 16:35
S11 6	8	simultaneous with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:08
S11 7	2	"20030054818".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 17:01
S12 2	1	(basic adj service adj set (BSSS)) with (first adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S12 3	237	(basic adj service adj set (BSSS)) with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:22
S12 4	15	S123 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:38
S12 5	96	S123 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44

EAST Search History

S12 6	3	(basic adj service adj set (BSSS)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:34
S12 7	3	(basic adj service adj set (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 13:37
S12 8	18861	receiv\$3 same transmit\$4 same tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44
S12 9	9365	receiv\$3 with transmit\$4 with tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44
S13 0	5007	S129 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:16
S13 1	184	S130 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:22
S13 2	0	(basic adj service adj set (BSSS)) with (first adj address) and "802. 11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S13 3	204	(basic adj service adj set (BSSS)) with (address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S13 4	92	S133 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:21
S14 0	2	us-20020059453-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:21

EAST Search History

S14 1	705	ad-hoc with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:59
S14 2	320	S141 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:57
S14 3	136	S142 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:22
S14 4	5	ad-hoc with internet with relay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:59
S14 5	18	(simultaneous concurrent ("same" adj time)) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:19
S14 7	10	((basic adj service adj set) (BSSid)) same (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:10
S14 8	3	((basic adj service adj set) (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:21
S14 9	1596	ip with "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:21
S15 1	7	(basic adj service adj set (BSSid)) with (ip with packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:31
S15 2	3	(basic adj service adj set (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:34

EAST Search History

S15 3	45	(basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:57
S15 4	97	(basic adj service adj set (BSSid)) same ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:08
S15 5	27	S154 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:58
S15 6	6	frame with (basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:11
S15 7	8	packet with (basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:12
S15 8	37	(simultaneous\$2 concurrent\$2 (at adj2 "same" adj time))with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:48
S15 9	32	(internet ip) with packet with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:31
S16 0	78	(connect\$4 with (nearby neighbo\$1r\$4 adjacen\$3 close\$1by) with (mobile wireless) with internet) and (@rlad<"20030311" @ad<"20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:30
S16 1	0	(connect\$4 with trough with (nearby neighbo\$1r\$4 adjacen\$3 close\$1by) with (mobile wireless) with internet) and (@rlad<"20030311" @ad<"20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:30

EAST Search History

S16 2	50	(internet ip) with (packet address) with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:42
S16 4	18	S162 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:44
S16 5	2	(internet ip) with (packet address) with ("802.11" with frame) with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:44
S16 6	228	different with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:49
S16 7	71	S166 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:49
S16 8	330	(different chang\$3) with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:10
S16 9	103	S168 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:11
S17 0	103	(modify\$3 chang\$3 updat\$3 translat\$3 replac\$3) with (bssid (basic adj service adj set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:11
S17 1	44	S170 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:20
S17 2	43	(simultaneous\$2 concurrent\$2 ("same" adj time)) with (ad\$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:20

EAST Search History

S17 3	13	S172 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 12:44
S17 4	217	"802.11" and ad\$hoc and (nat (network adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S17 5	90	S174 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 12:49
S17 6	71	"802.11" and ad\$hoc and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S17 7	36	S176 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S17 8	574	"802.11" and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S17 9	267	S178 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S18 0	48	S179 and Private adj ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:18
S18 1	1611	ip adj packet and (nat network adj address adj translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:19
S18 2	194	S181 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20

EAST Search History

S18 3	103	S182 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
----------	-----	--	---	----	----	------------------